

Reynolds Technology Ltd



Reynolds Technology Ltd, Building 21, Shaftmoor Industrial Estate,
226 Shaftmoor Lane, Hall Green, Birmingham B28 8SP

Cycle Frame Tube Parts List - 1st January 2013

Contacts Paul Murphy - paul@reynoldstechnolgy.biz
Keith Noronha - keith@reynoldstechnology.biz
Tel +44 (0)121 777 3853, Fax +44 (0)121 777 3153
General e.mail - toptubes@reynoldstechnology.biz

Part	Stock item	Diameter	Gauge	Length	Notes butt profile
------	------------	----------	-------	--------	-----------------------



Reynolds 953

953 frame tubes

Aged - Suffix "A"

SS3900	25.4	0.5/0.3/0.5	600	40.40.380.40.100
SS4000	28.6	0.5/0.3/0.5	600	40.40.380.40.100
SS4010	28.6	0.5/0.3/0.5	600	75.50.280.50.145
SS4020	28.6	0.55/0.35/0.55	625	120.50.320.50.85
SS4070	28.6	0.6/0.4	635	125.75.435
SS4100	31.75	0.55/0.35/0.55	635	40.40.400.40.130
SS4110	31.75	0.6/0.4/0.6	650	40.40.400.40.130
SS4120	31.75	0.6/0.4/0.6	650	120.50.300.50.130
SS4130	31.75	0.55/0.35/0.55	650	120.50.300.50.130
SS4136	31.75	0.7/0.4/0.7	550	75.50.200.50.175
SS4141	31.75	0.7/0.4/0.7	635	75.50.200.50.260
SS4712	31.75/27.2 id	0.7/0.4/0.7	550	seat tube from SS4136
SS4713	31.75/27.2 id	0.7/0.4/0.7	635	seat tube from SS4141
SS4200	34.9	0.55/0.35/0.55	680	40.40.420.40.140
SS4210	34.9	0.6/0.4/0.6	680	40.40.420.40.140
SS4220	34.9	0.6/0.4/0.6	680	120.30.320.30.180
SS4230	34.9	0.65/0.45/0.65	680	120.30.320.30.180
SS4240	34.9	0.7/0.5/0.7	680	120.30.320.30.180
SS4300	36.4	0.6/0.45/0.6	685	120.50.300.50.165

Shaped Tubing

BASED ON PART

SS4710	34.9->31.7	swaged 34.9mm	680	SS4220
SS4720	Teardrop 34.9	full length	680	SS4220
SS4730	31.7 OVAL	full length 35/26	635	SS4100
SS4732	31.7 Bi-Oval	90 degree opposed oval	650	SS4120
SS4740	34.9 OVAL	full length 40/30	680	SS4210
SS4742	34.9 Bi-Oval	90 degree opposed oval	680	SS4210

chainstay in 953 - butted

FS4540	17.25/29.3 oval	0.5	420	taper to 15mm
FS4520	17.25/29.3 oval	0.7/0.5	410	taper to 15mm tip
FS4522	22.2	0.7	440	taper to 15mm tip cranked 10 deg
FS4523	22.2	0.7	420	round, taper to 15m tip straight
FS4544	22.2	0.55	410	ROR taper to 15mm tip
FS4521	23.8	0.7/0.5	420	round, taper to 15m tip straight

Head tube in 953				
HS4430	31.7	0.7	200	
HS4440	31.7	0.7	600	
HS4452	36.2	1.1	200	suplied in 17/4ph material
SEATSTAYS IN 953 (not aged)				
GS4650	19.05	0.6	560	D/taper to 13mm tip
GS4652	19.05	0.6	560	S/taper to 13mm tip
GS4670	16	0.7	560	S/taper to 13mm tip
GS4672	16	0.7	560	D/taper to 13mm tip
Plain stay material				
HS4454	22.2	0.7	420	
HS4455	19	0.7	560	
Road Fork Blades				
ES4800	27.5x20 oval	0.7	380	straight - 15mm tip
ES4810	27.5x20 oval	0.7	380	raked 16 x 30mm

MIRROR FINISH POLISH

All 953 tubes can be supplied with a mirror finish polish

Minimum order 10 pieces

FRAME FITTINGS

LS110	BB Shell	OD 38.1mm, thread 24TPI, 68mm wide	EA 901
LS185	Rear Dropouts(PR)	universal style	901
LS200	Cable guides	EA	EA 316L
LS210	STI bosses	set of 2	SET OF 2 316L
LS220	Campy bosses	set of 2	SET OF 2 316L
LS250	Brake bridge	Standard allen key fit	EA 304
LS260	Seat clamp	for 28.6mm OD	EA 304
LS265	Seat clamp	for 31.7mm OD	EA 304
SSWW17-1	weld wire	1.2mm dia 17/4 grade x 910mm	EA 901
SSTH1	lug top head	73 deg	EA 304
SSBH1	lug Down lug	60 deg	EA 304
SSSL1	lug seat lug	74 deg	EA 304
SSBB1	lug BB shell	oval chainstay port	EA 304
LS230	Integrated	head cups for 38.1 HT	EA 304



Reynolds 921

SS6010	25.40	0.7/0.45/0.7	600	75.50.280.50.145
SS6110	28.60	0.8/0.5/0.8	635	100.50.300.30.135
SS6120	28.6 (27.2-27.4 id)	0.9/0.6	635	120.75.435
SS6210	31.70	0.6/0.45/0.6	650	100.50.335.50.115
SS6220	31.70	0.7/0.5/0.7	680	75.50.280.50.225
SS6225	31.70	0.8/0.5/0.8	635	120.50.300.50.115
SS6225L	31.70	0.8/0.5/0.8	680	120.50.300.50.160
SS6230	31.70	0.9/0.6/0.9	680	120.50.300.50.160
SS6250	31.70	DZB 1.1/0.9/0.6/0.9	680	40.20.60.50.300.50.160
SS6310	34.90	0.7/0.5/0.7	680	40.40.420.40.110
SS6320	34.90	0.8/0.5/0.8	680	120.30.320.30.180
SS6325	34.90	0.9/0.6/0.9	680	120.30.320.30.180
SS6330	34.1/34.9 - 31.6id	1.15/0.55/0.8	450	150.30.90.30.150
SS6335	34.1/34.9 - 31.6id	1.15/0.55/0.8	550	125.50.175.50.150
SS6350	34.90	DZB 1.1/0.9/0.6/0.9	740	40.20.60.50.300.50.160
SS6355	34.90	DZB BENT 1.1/0.9/0.6/0.9	740	145.50.45.25.320.50.95
SS6420	38.10	0.8/0.5/0.8	680	120.50.300.50.160
SS6450	38.10	DZB BENT 1.1/0.9/0.6/0.9	730	140.50.50.25.330.50.85
SS6455	38.10	DZB 1.15/0.9/0.6/0.9	730	40.20.60.50.350.50.170
921 stays				
F56510	22.20	0.8/0.6	420	R.O.R- 13mm tip
F56515	22.20	0.90	450	R.O.R- 13mm tip
F56520	24.00	0.8/0.6	410	OVAl 29/17- 13mm tip
GS6680	16.00	0.80	560	Single Taper- 11mm tip
GS6682	16.00	0.80	560	Double Taper- 11mm tip
GS6695	19.00	0.90	420	Single Taper- 13mm tip
GS6697	19.00	0.90	420	Double Taper- 13mm tip
Head Tubes				
HS6520	36.40	1.20	200	34.00 ID
HS6540	36.40	1.20	600	34.00 ID

NOTE: Subject to minimum quantity orders, Reynolds can make tubes similar to our Reynolds 631/725 range.

SSWW-921	WELD WIRE	NITRONIC 50		Release date TBA
ES6810	24.00	1.0/.8 FORK BLADE	380	Release date TBA
DS6610	28.60	1.6/1.2 STEERER	300	Release date TBA



Reynolds 853 PROTEAM series

Round top/down tubes					
AX2000	X	25.4	0.6/0.4/0.6	600	75.50.280.50.145
BX2058		28.6	0.6/0.45/0.6	650	75.50.330.50.145
BX2056	X	28.6	.65/.45/.65	635	40.40.380.40.135
BX2064	X	28.6	.55/.4/.55	635	75.50.330.50.110
BX2103	X	31.75	.65/.45/.65	650	100.50.335.50.115
BX2117	X	31.75	0.7/0.5/0.7	650	40.40.400.40.130
BX2152		34.9	0.7/0.5/0.7	650	40.40.420.40.110
BX2156	X	34.9	0.8/0.5/0.8	680	120.30.320.30.180
BX2148	X	34.9	.65/.52/.65	680	90.50.355.75.110
BX2162	X	37.3	0.8/0.5/0.8	650	120.50.300.50.130
seat tubes					
CX2210	X	28.6	0.8/0.4/0.6	635	180.50.230.50.140.-27.2 pillar
CX2216		28.6	0.8/0.6/1.0	650	115.35.340.45.115 bulge 27.2
BX2185		31.7 tt 27.2 id	0.8/0.55	680	125.75.435



Reynolds 853

Frame tubes					
AX2005		25.4	0.7/0.4/0.7	600	75.50.280.50.145
AX2006		25.4	0.7/0.4/0.7	530	100.50.200.50.130
BX2050	X	28.6	0.75/0.45/0.75	635	75.50.280.50.180
BX2050L		28.6	0.75/0.45/0.75	680	75.50.280.50.225
BX2055		28.6	0.7/0.5/0.7	600	40.50.350.50.110
BX2060	X	28.6	0.8/0.5/0.8	635	100.50.300.50.135
BX2063		28.6	0.9/0.6/0.9	565	85.50.230.50.150
BX2062		28.6	0.9/0.6/0.9	635	100.50.300.50.135
BX2062L		28.6	0.9/0.6/0.9	650	100.50.300.50.150
BX2105		31.75	0.7/0.5/0.7	635	75.50.280.50.180
BX2100		31.75	0.7/0.5/0.7	635	40.50.350.50.145
BX2106		31.75	0.7/0.5/0.7	680	75.50.280.50.225
BX2104		31.75	0.8/0.5/0.7	571	120.50.210.50.141
CX2111		31.75	0.8/0.5/0.8	565	75.50.200.50.190
BX2110L	X	31.75	0.8/0.5/0.8	680	120.50.300.50.160
BX2110		31.75	0.8/0.5/0.8	635	120.50.300.50.115
BX2125L		31.75	0.9/0.6/0.9	680	120.50.300.50.160
BX2113		31.75	0.9/0.6/0.9	730	120.50.300.50.210
BX2126		31.75	1.0/0.7/1.0	635	120.50.300.50.115

BX2155		34.9	0.8/0.5/0.8	635	120.30.320.30.135
BX2157		34.9	0.8/0.5/0.8	700	120.50.300.50.180
BX2150		34.9	0.9/0.6/0.9	635	120.30.320.30.135
BX2151	X	34.9	0.9/0.6/0.9	680	120.30.320.30.180
BX2153	X	34.9	0.9/0.6/0.9	730	120.50.300.50.210
BX2159		34.9	1.0/0.7/1.0	720	120.50.300.50.200
BX2158		34.9	1.2/0.9/1.2	560	190.50.80.50.190
BX2160	X	37.3	0.9/0.6/0.9	635	120.50.300.50.115
BX2161		37.3	0.9/0.6/0.9	680	120.50.295.50.165
BX1101		37.3	1.0/0.6/1.0	550	78.50.295.50.77

seat tubes

CX2201	X	28.6	0.7/0.5	635	125.75.435
CX2202		28.6	0.8/0.55	635	125.75.435
CX2203		28.6	1.0/0.7	680	125.75.480
CX2206		28.6	1.2/0.9	410	125.75.210
CX2290		31.75	0.9/0.7	635	125.75.435
CX2361	X	28.6	0.9/0.6/1.2	400	150.80.60.50.60 bulge 27.2
CX2362	X	28.6	0.9/0.6/1.2	450	125.80.95.50.100 bulge 27.2
CX2363	X	28.6	0.9/0.6/1.2	550	170.50.155.75.100 bulge 27.2
CX2364	X	28.6	0.9/0.6/1.2	650	190.50.260.50.100 bulge 27.2
CX2280		31.75	0.9/0.6/1.2	550	180.50.150.50.120 -bulge 30.0
CX2285		31.75	0.9/0.6/1.2	410	125.50.95.50.90 bulge 30.0mm
CX2287		33.1/30.9id	1.1/0.55/0.9	550	120.50.150.50.180 -bulge 30.9 ID
CX2461		34.1/34.9 - 31.6id	1.15/55/8	400	100.30.90.30.150
CX2462		34.1/34.9 - 31.6id	1.15/55/8	450	150.30.90.30.150
CX2463		34.1/34.9 - 31.6id	1.15/55/8	550	125.50.175.50.150
CX2464		34.1/34.9 - 31.6id	1.15/55/8	650	175.50.175.50.200

Shaped tubes

BX2700		34/28	0.7/0.5/0.7	635	full oval
BX2705	X	30/40	0.8/0.5/0.8	635	full oval
BX2709		34/28 oval	0.7/0.5/0.7	650	full oval
BX2802		30/40	0.8/0.5/0.8	680	opposed oval
BX2805		34/28	0.7/0.5/0.7	635	opposed oval
BX2900		34/28	0.7/0.5/0.7	635	taper oval
BX2905	X	30/40	0.8/0.5/0.8	635	taper oval
AX2605	X	44/28 teardrop	0.9/0.6/0.9	635	120.50.300.50.115

Reynolds can offer many of the standard range of 853 tubes with oval or tapered




Reynolds 853 DZB

NEW - 853 DZB (Double Zone Butted) frame tubes

BX3010	X	31.75	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160
BX3030	X	34.9	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160
BX3030L	X	34.9	1.1-0.9/0.6/0.9	740	40.20.60.50.300.50.160
BX3038L		38.1	1.1-0.9/0.6/0.9	740	40.20.60.50.350.50.170
BX3039		38.1	1.0-0.8/0.5/0.8	740	40.20.60.50.350.50.170
BX3050		38.1	1.15-.85/0.6/0.85	730	BENT 11 deg 160.50.40.20.320.50.90
BX3052		34.9	1.2-0.9/0.65/0.9	730	BENT 13 deg 145.50.45.25.320.50.95
BX3054		31.75	1.2-0.9/0.65/0.9	730	BENT 15 deg 140.50.50.25.330.50.85
FX3001		33 x 23 oval	0.8/0.5	440	straight
DX2300	X	31.75	0.9	220	
DX2320	X	32.5	1.25	200	
DX2340	X	36.4	1.2	200	
DX2341		36.4	1.2	630	

853 seatstays & chainstays

FX3521	X	22.2	0.9/0.6	410	cranked 12 deg / 14mm tip
FX3510		29 x 17 oval	0.8/0.6	410	oval / 13 tip
FX3515		29 x 17 oval	1.0/0.6	450	heavy / 13 tip
FX3525		22.2	0.8/0.6	430	R.O.R. / 13 tip
GX3610		16	0.65	560	s/taper / 11 tip
GX3650		16	0.8	560	s/taper / 11 tip



Reynolds 725


Frame tubes						
AG101	X	25.4	0.8/0.5/0.8	600		85.40.330.40.105
AG208	X	28.6	0.7/0.4/0.7	680		130.30.350.30.140
AG206	X	28.6	0.8/0.5/0.8	635		130.30.350.30.95
AG304	X	31.75	0.8/0.5/0.8	635		130.30.350.30.95
AG504	X	34.9	0.8/0.5/0.8	680		130.40.330.40.140
AG401	X	28.6	0.9/0.6	635		85.50.500
AG455	X	28.6	0.9/0.6/1.2	550		95.25.300.30.100(Bulge)
AG457	X	28.6	0.9/0.6/1.2	635		85.25.395.30.100 (bulge)
Section						
AG2601	X	50 x 32	0.8/0.5/0.8	650		teardrop
Head tubes						
DG151	X	31.75	0.9	220		
DG153	X	31.75	0.9	635		
DG155	X	32.5	1.25	200		
DG155L	X	32.5	1.25	635		
DG159	X	36.4	1.2	200		
DG159L	X	36.4	1.2	600		
DG156	X	36	1.5	200		
Chainstay						
FX2500	X	22.2	0.8/0.6	410		R.O.R
FX2510	X	17.5 x 29 oval	0.9/0.6	410		oval
FX2550		22.2	0.8/0.6	420		R.O.R bent 12 deg
FX2560	X	17 x 27 oval	0.8/0.6	420		oval, bent 12 deg
FX2570	X	24	0.9/0.6	410		round, cranked 12 deg
FX2576	X	20 x 31 oval	0.8/0.5	420		straight
Seatstay						
GX2620	X	14	0.6	620		s/taper
GX2625		14	0.6	575		d/taper
GX2600	X	16	0.6	570		d/taper
GX2610	X	16	0.6	570		s/taper
GX2650	X	16	0.7	580		s/taper
GX2670	X	18	0.8	500		d/taper
GX2660	X	19	0.7	580		s/taper
GX2655	X	17 x 14 oval	0.6	570		oval, s/taper
GX2700		19	0.7	580		s/taper bent 10 deg

Reynolds can offer a range of "S" bend seat and chainstays to customers drawings, subject to minimum order volumes.



Reynolds 631

Frame tubes					
AX5000	X	25.4	0.8/0.5/0.8	600	100.50.300.50.100
BX5058		28.6	0.7/0.4/0.7	566	85.50.230.50.150
BX5049	X	28.6	0.75/.45/.75	635	75.50.280.50.180
BX5048		28.6	0.8/0.5/0.8	566	85.50.230.50.150
BX5050	X	28.6	0.8/0.5/0.8	635	100.50.300.50.135
BX5053	X	28.6	0.9/0.6/0.9	635	75.50.280.50.180
BX5054		28.6	0.9/0.6/0.9	565	85.50.230.50.150
BX5055		28.6	1.0/0.7/1.0	645	75.50.280.50.190
BX5129		31.75	0.8/0.5/0.7	563	120.50.210.50.135
BX5128	X	31.75	0.8/0.5/0.8	635	120.50.300.50.115
BX5124		31.75	0.8/0.5/0.8	680	120.50.300.50.160
BX5127		31.75	0.9/0.6/0.9	550	75.50.280.50.95
BX5125	X	31.75	0.9/0.6/0.9	635	120.50.300.50.115
BX5125L		31.75	0.9/0.6/0.9	680	120.50.300.50.160
BX5126		31.75	1.0/0.7/1.0	635	75.50.280.50.180
BX5178		34.9	0.7/0.5/0.7	650	40.40.420.40.110
BX5173	X	34.9	0.8/0.5/0.8	680	120.50.300.50.160
BX5173L		34.9	0.8/0.5/0.8	700	120.50.300.50.180
BX5174		34.9	0.9/0.6/0.9	680	120.30.320.30.180
BX5175	X	34.9	0.9/0.6/0.9	635	120.30.320.30.135
BX5179	X	34.9	0.9/0.6/0.9	714	120.50.320.30.214
BX5177		34.9	1.0/0.7/1.0	680	120.30.320.30.180
BX5190	X	37.3	0.9/0.6/0.9	635	120.50.295.50.120
BX5191		37.3	0.9/0.6/0.9	680	120.50.295.50.165
CX5200	X	28.6	0.8/0.55	635	120.75.435
CX5206		31.75	1.0/0.7	660	125.75.469
CX5361	X	28.6	0.9/0.6/1.2	400	150.80.60.50.60 bulge 27.2
CX5362	X	28.6	0.9/0.6/1.2	450	125.80.95.50.100 bulge 27.2
CX5363	X	28.6	0.9/0.6/1.2	550	170.50.155.75.100 bulge 27.2
CX5364	X	28.6	0.9/0.6/1.2	650	190.50.260.50.100 bulge 27.2
CX5287		33.1/30.9id	1.1/0.55/.9	550	bulge30.9ID
CX5461		34.1/34.9 - 31.6id	1.15/.55/.8	400	100.30.90.30.150
CX5462		34.1/34.9 - 31.6id	1.15/.55/.8	450	150.30.90.30.150
CX5463		34.1/34.9 - 31.6id	1.15/.55/.8	550	125.50.175.50.150
CX5464		34.1/34.9 - 31.6id	1.15/.55/.8	650	175.50.175.50.200
Sections					
AX5605	X	44/28	0.9/0.6/0.9	635	teardrop
631 Head Tubes					
DX5320	X	32.5	1.25	200	
DX5340	X	36.4	1.2	200	
DX5341		36.4	1.2	630	
DX5410		43.95id	1.15	100	
DX5411		43.95id	1.15	110	
DX5412		43.95id	1.15	120	
DX5413		43.95id	1.15	130	
DX5414		43.95id	1.15	140	
DX5415		43.95id	1.15	150	
631 SEAT/CHAIN STAYS, Please check as there will be some availability from stock					
FX1001		33 x 23 oval	0.8/0.5	440	straight
FX5510		29 x 17 oval	0.8/0.6	430	oval
FX5515		29 x 17 oval	1.0/0.6	450	oval
FX5525		22.2	0.8/0.6	430	R.O.R
GX5610		16	0.65	560	s/taper
GX5650		16	0.8	560	s/taper



Reynolds 525

Frame tubes						
AF101	X	25.4	0.8/0.6/0.8	600		85.40.330.40.105
AF208	X	28.6	0.7/0.4/0.7	680		130.30.350.30.140
AF250	X	28.6	0.8/0.5/0.8	635		130.30.350.30.95
AF304	X	31.75	0.8/0.5/0.8	635		130.30.350.30.95
AF506	X	34.9	0.8/0.5/0.8	680		130.40.330.40.140
AF401	X	28.6	0.9/0.6	635		85.50.500
AF455	X	28.6	0.9/0.6/1.2	550		95.25.300.30.100(Bulge)
AF457	X	28.6	0.9/0.6/0.9	635		85.25.395.30.100 (bulge)
Shaped						
AF2601	x	50 x 32	0.8/05/0.8	650		teardrop
AF2604	x	50 x 32	0.9	635		teardrop
Head tubes						
DC151	X	31.75	0.9	220		
DC153	X	31.75	0.9	635		
DC155	X	32.5	1.25	200		
DC155L	X	32.5	1.25	600		
DC159	X	36.4	1.2	200		
DC159L	X	36.4	1.2	600		
DC156	X	36	1.5	200		
Chainstays						
FC1500	X	22.2	0.8/0.6	410		R.O.R
FC1510	X	17 x 29 oval	0.8/0.6	410		oval
FC1550		22.2	0.8/0.6	420		single bend 12 deg
FC1565	X	17 x 27 oval	0.8/0.6	420		oval - bent 12 deg
FB584	X	22.2	1.2	440		R.O.R
Seatstays						
GC1625		14	0.6	600		d/taper
GC1620	X	14	0.6	620		s/taper
GC1600	X	16	0.6	560		d/taper
GC1610	X	16	0.6	560		s/taper
GC1650	X	16	0.7	580		s/taper
GC1655		16	0.7	580		d/taper
GC1670	X	16	0.9	600		s/taper
GC1660	X	19	0.7	580		s/taper
GC1661		19	0.7	580		d/taper
Tandem base						
KC120	X	50 x 25 oval	0.9	760		tandem base tube
KC111	X	38.1	0.9	760		tandem base tube

Steering tubes

		CrMo Steerer			
HB128	X	25.4	1.6/1.1	400	no thread
HB142	X	28.6	1.6/1.1	400	no thread
HB102	X	25.4	2.3/1.6	240	threaded 24 tpi
HB103	X	25.4	2.3/1.6	300	threaded 24 tpi
HB104	X	25.4	2.3/1.6	400	threaded 24 tpi
HB114	X	25.4	2.3/1.6	400	no thread
HB130	X	25.4	2.9/1.6	250	threaded 24 tpi
HB144	X	28.6	2.3/1.6	400	no thread

Reynolds 631 fork blades

EX5708	X	27.5 x 20 oval	1.0/0.6	370	Straight
EX5716		27.5 x 20 oval	1.0/0.6	370	bent rake 16 x 30mm (road)
EX5707		27.5 x 20 oval	1.0/0.6	370	bent rake 15 x 45mm (tour)
EX770		28.6	1.1/0.8	480	29er unicrown TT 21mm od
EX771		28.6	1.1/0.8	480	29er unicrown no taper
EX5720		27.5 x 20 oval	1.1	370	bent rake 15 x 45mm (tour)/17.2 tip

Reynolds 853 fork blades

EX2716	X	27.5 x 20 oval	1.0/0.6	370	bent rake 16 x 30mm (road)
EX2707		27.5 x 20 oval	1.0/0.6	370	bent rake 15 x 45mm (tour)
EX772		31.75	1.2	480	29er unicrown TT 21mm od
EX2720		27.5 x 20 oval	1.1	370	bent rake 15 x 45mm (tour)/17.2 tip



Reynolds "R" butted fork blades

EB475	X	29 x 16 oval	1.2/0.7	395	rake 15x45mm
EB465	X	29 x 16 oval	1.2/0.7	395	straight
EB708	X	27.5 X 20 oval	1.0/0.6	370	straight
EB716	X	27.5 x 20 oval	1.0/0.6	370	rake 16x30mm
EB720	X	27.5 X 20 oval	1.1/0.8	400	straight
EB711	X	27.5 x 20 oval	1.2/0.7	395	straight
EB713	X	27.5 x 20 oval	1.2/0.7	395	rake 15x45mm
EB763		28.6	1.2	388	unicrown 22 tip - oval leg
EB702		27.5 X 20 oval	1.2/0.7	395	unicrown road fork



Reynolds 3/2.5 seamless Titanium

Reynolds carry stocks, but please check availability before ordering

Frame tube

BT122		31.75	.95/.75/.96	625	75.50.280.50.170
BT125		31.75	.9/.7/.9	569	112.50.282.50.75 oval at 75mm butt
BT123		34.9	.9/.7/.9	650	120.50.300.50.130
BT128		36.4	.95/.75/.97	685	120.50.300.50.160
BT124		37.3	.9/.7/.9	680	85.50.390.50.110
BT145		41.2	.9/.7/.9	680	90.60.350.60.120
CT158		31.75 tt 27.2id	.95/.75/.98	625	75(swage).50.280.50.170
CT159		31.75	0.95/0.65	625	125.75.425
BT2701		oval 28x34	.9/.7/.9	625	75.50.280.50.170 oval full length
BT2702		oval 32x42	.9/.7/.9	680	165.50.300.50.121 oval full length

Chainstay

FT116		30/21 oval	0.9	410	straight
FT140		25.4	0.9	410	round /17.5 tip

Seatstay

GT127	16	0.8	575	single taper
GT123	19	0.7	570	double taper
GT142	19	0.7	570	single taper



Reynolds 531

Frame tubes

AB112	X	25.4	0.8/0.5/0.8	635	75.40.285.40.195
BB112	X	28.6	0.8/0.5/0.8	650	130.30.350.30.95
CB102	X	28.6	0.8/0.6	635	85.50.500



6061/7005 Aluminium

Reynolds can make available a range of aluminium tubes for cycle frame construction.
 This small range covers both hydroformed and mechanically formed tubes to standard designs.
 Tube to customers designs can be made available subject to minimum order volumes.